Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	66	router and server with overload and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:03
S2	6656	709/203 and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/17 11:37
S3	199	709/203 and overload and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/17 08:35
S4	207	370/229,230,235.ccls. and overload and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/17 08:34
S5	1783	370/229,230,235.ccls. and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/17 08:34
S6	59	709/203 and overload with server and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/17 08:35
S7	6660	S2 or S5 and (block\$3 or filter\$3) and server with packet with overload	US-RGRUB; USPAT	OR	ON	2005/03/17 08:39
S8	9	(S2 or S5) and (block\$3 or filter\$3) and server with packet with overload	US-PGPUB; USPAT	OR	ON	2005/03/17 08:46
S9	1	"6101541".pn.	US-PGPUB; USPAT	OR	ON	2005/03/17 08:52
S10	1	"5535375".pn.	US-PGPUB; USPAT	OR	ON	2005/03/17 08:53
S11	1	"6182086".pn.	US-PGPUB; USPAT	OR	ON	2005/03/17 08:54
S12	1	"6098099".pn.	US-PGPUB; USPAT	OR	ON	2005/03/17 08:55
S13	1	"5878224".pn.	US-PGPUB; USPAT	OR	ON	2005/03/17 09:24
S14	1	"5675721".pn.	US-PGPUB; USPAT	OR	ON	2005/03/17 16:24
S15	0	(709/203,223,224,225,226.ccls or 370/229,230,235,349,392.ccls) and @ad<="20010627"	US-RGPUB; USPAT	OR	OFF	2005/03/17 09:26
S16	0	709/203,223,224,225,226.ccls	US-PGPUB; USPAT	OR	OFF	2005/03/17 09:26
S17	0	709/203,223,224,225,226.ccls	US-PGPUB; USPAT	OR	ON	2005/03/17 09:26
S18	13388	709/203,223,224,225,226.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/17 09:26
S19	5190	370/229,230,235,349,392.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/17 09:26
S20	10924	(S18 or S19) and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 09:27

S21	104	S20 and server with overload	US-PGPUB; USPAT	OR	ON	2005/03/17 10:05
S22	125	S20 and server and router with (filter\$3 or block\$3) with packet	US-PGPUB; USPAT	OR	ON	2005/03/17/10:22
S23	698	server with (congestion or overload) and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 17:24
S24	259	server with (congestion or overload) and threshold and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 10:23
S25	132	server with (congestion or overload) and threshold and router and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 10:31
S26	15	server with excessive with packet and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 10:31
S27	265	server with overload\$3 and router and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 11:04
S28	25	server with detect\$3 with overload and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 11:18
S29	885	block adj packet and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 11:10
S30	5	block adj packet and server with overload and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 11:29
S31	43	block adj packet and overload and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 11:31
S32	3761	filter\$3 with packet and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 11:31
S33	4	router with configuration with file with filter\$3 and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/17 11:45
S34	119	SMB and router and server and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/17 11:46
S35	41	SMB and overload and router and server and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/17 11:50
S36	54	server same packet with threshold and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/17 11:51
S37	26	server with overload\$3 with packet and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 11:59
S38	6	filter\$3 with excessive with packet and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 12:02
S39	2	"Extending Server Security" and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 13:04
S40	1	"6389532".pn. and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 13:15
S41	69	excessive with packet with receiv\$3 and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 13:18

S42	306	packet with overload and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 13:18
S43	87	packet with overload and server and router and @ad<="20010627"	US-PGPUB; USPAT	OR	ΘN	2005/03/17 13:28
S44	232	number with packet with exceed\$3 with threshold and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 13:39
S45	206	number with packet with exceed\$3 with threshold and (block\$3 or filter\$3) and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 14:16
S46	1248	Servlets and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 14:22
S47	33	server with request with filter with packet and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 14:29
548	43	server with packet with threshold and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 14:34
S49	66	malicious with packets and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 14:34
S50	10	malicious with packets with server and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 14:34
S51	1332	Denial with Service with attack	US-PGPUB; USPAT	OR	ON	2005/03/17 16:24
S52	647	Denial with Service with attack and router and packet and server	US-PGPUB; USPAT	OR	ON	2005/03/17 16:24
S53	153	Denial with Service with attack and router and packet and server and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 16:26
S54	149	Denial with Service with attack and router and packet and server and (filter\$3 or block\$3) and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 16:44
S55	7	malicious with packet with request and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 17:00
S56	10	server with request with router with filter\$3 and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 17:04
S57	10	filter\$3 with malicious with packet and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 17:11
S58	47	server with request\$3 with filter\$3 with packet and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 17:11
S59	125	server with load with detect\$3 and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 17:25
S60	1	server with load with detect\$3 with excessive and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 17:27

Search History 4/4/05 3:55:44 PM Page 3 C:\APPS\EAST\Workspaces\09892963.wsp

S61	3	server with load with manag\$4 with excessive and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 17:28
S62	78	excessive adj packets and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 17:31
S63	0	receiving adj excessive adj packets and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 17:29
S64	0	receiv\$3 adj excessive adj packets and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 17:29
S65	3389918	excessive adj packets and filter\$3 @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/17 17:31
S66	31	excessive adj packets and filter\$3 and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 10:50
S67	0	server with threshold with packets and server with memory with overload and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 10:02
S68	1	server with threshold with packets and server with overload and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 10:03
S69	43	server with threshold with packets and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 10:03
S70	12	server with threshold with packets and filter\$3 and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 10:05
S71	386	server with processor with memory with bus and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 10:06
S72	14	server with processor with memory with bus and overload and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 10:07
S73	0	server with processor with memory with overload with bus and overload and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 10:08
S74	Ō	server with processor with memory with overload with bus and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 10:08
S75	0	server with memory with overload with bus and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 10:08
S76	9	server with memory with overload and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 10:13
S77	727	packets with exceed\$3 with threshold and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 10:14
S78	19	server with packets with exceed\$3 with threshold and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 10:14

S79	0	router with configuration with file with previlege and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 10:51
S80	92	router with configuration with file and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 10:51
S81	15	router with configuration with file and secure and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 10:51
S82	1	router with configuration with file with secure and @ad<="20010627"	US-RGPUB; USPAT	OR	ON	2005/03/18 10:52
S83	3	router with configuration with file with filter and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 11:20
S84	92	router with configuration with file and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 11:35
S85	122	router with access with list and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 11:40
S86	56	router with access adj list and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 11:40
S87	5	router with access adj list and configuration adj file and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 11:42
S88	63	router with configuration adj file and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/03/18 11:42
S89	22	configuration with file with router with server and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/21 16:00
S90	0	configuration with file with router with server with security and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/21 15:55
S91	0	configuration with file with router with server with access and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/21 15:55
S92	2	configuration with file with router same server same access and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/21 15:55
S93	0	configuration with file with router with security and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/21 15:58
S94	6	configuration with file with router and firewall and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/21 16:04
S95	26	configuration with file with router same server and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/21 16:06

S96	11	configuration with file with server adj access and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/21 16:36
S97	32	(configuration adj file) same router same server and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/21 16:37
S98	1684	(configuration adj file) same includ\$3 and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/21 16:48
S99	1050	(configuration adj file)with includ\$3 and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/21 16:48
S10 0	6	(configuration adj file)with includ\$3 with router and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/21 16:53
S10 1	48	(configuration adj file) with router and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/21 16:54
S10 2	17	(configuration adj file) with router with server and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/21 16:56
S10 3	0	(configuration adj file) with router with author\$5 and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/21 16:56
S10 4	3	(configuration adj file) with router with access and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/21 16:57
S10 5	252	(configuration adj file) adj contains and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/21 16:58
S10 6	0	(configuration adj file) adj contains adj server and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/21 16:58
S10 7	1	(configuration adj file) adj contains adj access and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/03/21 16:58
S10 8	5	("5535375" "5675721" "6098099" "6101541" "6182086").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:03
S10 9	14527	configuration with file	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:32
S11 0	17	configuration adj file with router with server and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:38
S11 1	0	configuration adj file with router with previlege and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:38
S11 2	0	configuration adj file with previlege and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:38
S11 3	26	configuration adj file with secure and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:39

S11 4	1	configuration adj file with router with secure and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:40
S11 5	1	configuration adj file with router with filter and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:40
S11 6	78	configuration adj file with filter\$3 and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:40
S11 7	4	configuration adj file with filter\$3 and attack and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:42
S11 8	86	web with server with router and configuration with file and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:43
S11 9	35	web with server with router and configuration with file with includ\$3 and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:45
S12 0	8	router with configuration with file with includ\$3 and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:47
S12 1	6	configuration with file with privilege and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:48
S12 2	291	configuration with file with server with access and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:48
S12 3	0	configuration with file with router with server with access and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:48
S12 4	291	configuration with file with server with access and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:48
S12 5	274	configuration with file with server with access and (filter\$3 or block\$3) and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:49
S12 6	6	configuration with file with server with access and (filter\$3 or block\$3) and attack and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:53
S12 7	69	configuration with file with router and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 11:55
S12 8	25	configuration with file with router and filter\$3 and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 12:00
S12 9	8224	configuration with file and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 12:01
S13 0	6	configuration with file with secure with access with server and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 12:02

				Τ		
S13 1	8	router adj configuration adj file and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 12:06
S13 2	0	configuration adj file with accessable with server and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 12:07
S13 3	19	configuration adj file with available with server and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 12:12
S13 4	3	configuration adj file with router with filter\$3 and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 12:14
S13 5	18	configuration adj file with access with list and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 12:17
S13 6	7	show with IP with access and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 12:20
S13 7	0	show adj IP adj server and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 12:20
S13 8	0	show adj IPx adj server and @ad<="20010627"	US-PGPUB; USPAT	OR	OFF	2005/04/01 12:21
S13 9	0	show adj IPx adj server and @ad<="20010627"	US-PGPUB; USPAT	OR ·	ON	2005/04/01 12:21
S14 0	582	IOS with commands and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 12:22
S14 1	99	IOS with commands and show with interface and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 12:23
S14 2	0	IOS with commands and configuation with file and @ad<="20010627"	US-RGPUB; USPAT	OR	ON	2005/04/01 12:23
S14 3	0	command with configuation with file and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 12:23
S14 4	678	command with configuration with file and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 12:23
S14 5	0	IOS with commands with configuration with file and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 12:23
S14 6	678	commands with configuration with file and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 12:23
S14 7	107	commands with configuration with file and show with interface and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 12:24
S14 8	79	commands with configuration with file and show with server and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 12:27
S14 9	0	router with confi with file and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 12:27

S15 0	2	router with config with file and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 12:29
S15	92	router with configuration with file and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 12:31
S15 2	92	router with configuration with file and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:34
S15 3	0	configuration with file with server with router with security and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:34
S15 4	1	configuration adj file same server same router same security and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:36
S15 5	2	configuration adj file same server same router same secure and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:36
S15 6	256	server same router same secure and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:36
S15 7	25	configuration same server same router same secure and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:38
S15 8	1	configuration with file and router with authority with server and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:39
S15 9	9	router with authority with server and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:40
S16 0	24	router with authorized with server and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:41
S16 1	52	router with secure with server and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:42
S16 2	3	router with secure with server with configuration and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:43
S16 3	295	router with server with configuration and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 15:25
S16 4	31	router with server with configuration with file and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:45
S16 5	24	configuration with file with filter with packet and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:47
S16 6	0	configuration with file with server with router with permission and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:47
S16 7	0	configuration with file with router with permission and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:48

S16 8	1	configuration with file with router with privilege and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:48
S16 9	6	configuration with file with router with access and @ad<="20010627"	US=P.GPUB; USPAT	OR	ON	2005/04/01 13:51
S17 0	0	configuration with file with server with list with router and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:51
S17 1	1	configuration with file with router with web with server and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:53
S17 2	952	configuration with file and accessible with server and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:54
S17 3	6	configuration with file and router with accessible with server and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:55
S17 4	92	configuration with file with router and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 13:58
S17 5	7	configuration with file with secure with connection and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 14:10
S17 6	2	config\$7 with file with secur\$4 with router with server and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 14:11
S17 7	530	config\$7 with file with secur\$4 and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 14:11
S17 8	2	config\$7 with file with secur\$4 with router and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 14:12
S17 9	27	config\$7 with file same secur\$4 same router and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 14:37
S18 0	9	config\$7 with file with secure with connection and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 14:52
S18 1	131	config\$7 with file with router and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 16:03
S18 2	6	config\$7 same file same router same secure same access and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 15:19
S18 3	1	config\$7 with file with router with key and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 15:20
S18 4	5	config\$7 with file with router with interface with connection and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 15:23

S18 5	9	config\$7 with file with secure with connections and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 15:23
S18 6	1	router with configuration with file with web adj server and @ad<="20010627"	US-RGPUB; USPAT	OR	ON	2005/04/01 15:42
S18 7	2	router with authority with web adj server and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 15:43
S18 8	20	router with web with server with secure and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 15:43
S18 9	8	config\$7 with file with router with table and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 16:04
S19 0	59	config\$7 with file with router with server and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 16:12
S19 1	0	config\$7 with file with previlege and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 16:12
S19 2	54	config\$7 with file with privilege and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 16:14
S19 3	1	config\$7 with router adj privilege and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 16:14
S19 4	1	router adj privilege and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 16:15
S19 5	0	router adj permission with server and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 16:16
S19 6	6	router with permission with server and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 16:28
S19 7	21	router with connection with secure with server and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 16:29
S19 8	20	packet with attack with malicious and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 16:32
S19 9	92	router with configuration with file and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 16:36
S20 0	185	router with configuration with file	US-PGPUB; USPAT	OR	ON	2005/04/01 16:32
S20 1	0	router with configuration with file with authorize with server	US-PGPUB; USPAT	OR	ON	2005/04/01 16:33
S20 2	0	router with configuration with file with authoriz\$3 with server	US-PGPUB; USPAT	OR	ON	2005/04/01 16:33
S20 3	61	router with authoriz\$3 with server	US-PGPUB; USPAT	OR	ON	2005/04/01 16:33
S20 4	2	router with configuration with file same authorization	US-PGPUB; USPAT	OR	ON	2005/04/01 16:34
S20 5	11	router same configuration same file same authorization	US-PGPUB; USPAT	OR	ON	2005/04/01 16:36

S20 6	0	router same configuration same file same authenication	US-PGPUB; USPAT	OR	ON	2005/04/01 16:36
S20 7		router same configuration same file same server	US-PGPUB; USPAT	OR	ON	2005/04/01 16:36
S20 8	31	router with configuration with file with server and @ad<="20010627"	US-PGPUB; USPAT	OR	ON	2005/04/01 16:37

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
11	2412	370/242.395.21,439,462,468.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/04 16:55
L2	141	370/242.395.21,439,462,468.ccls. and overload	US-PGPUB; USPAT	OR	OFF	2005/04/04 16:55